

NITRILE GENTLE TOUCH LONG CUFF DARK BLUE



NITRILE	DARK BLUE	POWDER FREE	S-XL	AMBIDIESTROUS	NON STERIL
---------	-----------	----------------	------	---------------	------------

Comfortable nitrile glove. Special Long. It offers protection against specific chemical risks and against solvents in sporadic contact. It offers a wide variety of general uses highlighting medical use, examination, food handling, lab, cleaning, etc.

Characteristics:

Suitable for latex allergic people.	Finger textured. Making easy grip.
Blue, powder free, single use, ambidextrous	Excellent chemical resistance and splash protection up to arm
Long-beaded cuff allows easy donning and doffing	Enhance comfortable with soft and silky feel for extended wear.

Presentación:

- 100 pieces par dispenser, with a petrochemical opening for a hygienic access to the glove.
- Packaging contains: 10 dispensers of 100 units
- Box Dimension: 290 x 90 x 120 mm
- Carton Dimension: 300 x 455 x 248 mm



Labelling: Manufacturing date, expiration date, batch number, reference and EAN code. Product name in several languages: Spanish, English, French, German, Italian, Portuguese.

CE marking, protection pictograms, safety standards and legislation. Size, size guide and units.

Normative:

- Category III. Marca CE mark according to Regulation (EU) 2016/425.
- Class I. Royal Decree 2017/745 which regulates sanitary products, which transposes Directive 93/42 CEE.
- Complies with food handling requirements. 10/2011 of 14 January 2011 on plastic material and articles intended to come into contact with food.
- EN ISO EN374-1:2016/A1:2018 . EN 455-1-2-3
- EN ISO EN374-5:2016. (EN 374-4). ISO 16604:2004 Bacteriófago
- EN 420:2003+A1: 2009

RUBBEREX SPAIN S.L

+34 96 166 7124

info@rubberex.es

www.rubberex.es

Polígono Industrial Masía del Baló. C/Mas Vallesa de Mandor N8 Nave12. CP. 46190. Ribarroja del Turia. Valencia. España

NITRILE GENTLE TOUCH LONG CUFF DARK BLUE



CHEMICAL RESISTANCE

PERMEATION. EN ISO 374-1:2016/A1.2018

Gloves are classified in terms of time of passage, according to each individual chemical for which the glove resists permeation:

CHEMICALS	LEVEL	LETTER
40 PER CENT SODIUM HYDROXIDE	6	K
N-HEPTANE	2	J
37 PER CENT FORMALDEHYDE	1	T
30 PER CENT HYDROGEN PEROXIDE	6	P

Performance Level:

Time (min)	> 10	> 30	> 60	> 120	> 240	> 480
Performance Level	1	2	3	4	5	6

DEGRADATION

Degradation % (DR) is determined for each chemical made in the permeation.

(DR) K: 40% Sodium Hydroxide = -6.97%

(DR) J: n-Heptane = 51.9%

(DR) P: 30% Hydrogen Peroxide 30%: -4.76%

The “Nitrile LONG CUFF”, nitrile glove PPE should be used to protect the user’s hand against chemical risks (products and levels mentioned above) and against microbiological risks (bacteria, fungi and virus).

The present PPE should never be used against other risks than those described above. The use of his PPE should be evaluated correctly depending on the place of work.

EN ISO 374-1:2016/A1:2018 / Tipo B EN ISO 374-5:2016



J K P



VIRUS



CAT III

0161

RUBBEREX SPAIN S.L

+34 96 166 7124

info@rubberex.es

www.rubberex.es

Polígono Industrial Masía del Baló. C/Mas Vallesa de Mandor N8 Nave12. CP. 46190. Ribarroja del Turia. Valencia. España


NITRILE GENTLE TOUCH LONG CUFF DARK BLUE



Glove Dimension	S	M	L	XL
Palm width mm	85 ± 5 mm	95 ± 5 mm	110 ± 5 mm	110 ± 5 mm
Length mm	Min 300 mm	Min 300 mm	Min 300 mm	Min 300 mm
Palm thickness mm (± 0.02)	0.15	0.15	0.15	0.15
Finger thickness mm (± 0.02)	0.17	0.17	0.17	0.17
Cuff thickness mm (± 0.02)	0.11	0.11	0.11	0.11
Weight gr. (± 0.3)	8.4	8.8	9.2	9.6

REF	Colour	Size	Size. Num	EAN
0014	Dark Blue	S	7	8435234500149
0015	Dark Blue	M	8	8435234500156
0016	Dark Blue	L	9	8435234500163
0017	Dark Blue	XL	10	8435234500170

Inner design



Logistic:

Box: 100 pieces

carton: 10 inners

Pallet: 42 cajas

Rev 05. MAR 2022

RUBBEREX SPAIN S.L

+34 96 166 7124

info@rubberex.es

www.rubberex.es

Polígono Industrial Masía del Baló. C/Mas Vallesa de Mandor N8 Nave12. CP. 46190. Ribarroja del Turia. Valencia. España